

Anexo 1. Estrategia de búsqueda.

Lesión medular: (spinal cord injury, quadriplegia, paralysis)

("spinal cord injury" OR "Spinal Cord Trauma" OR "Cord Trauma, Spinal" OR "Cord Traumas, Spinal" OR "Spinal Cord Traumas" OR "Trauma, Spinal Cord" OR "Traumas, Spinal Cord" OR "Injuries, Spinal Cord" OR "Cord Injuries, Spinal" OR "Cord Injury, Spinal" OR "Injury, Spinal Cord" OR "Spinal Cord Injury" OR "Myelopathy, Traumatic" OR "Myelopathies, Traumatic" OR "Traumatic Myelopathies" OR "Traumatic Myelopathy" OR "Spinal Cord Transection" OR "Cord Transection, Spinal" OR "Cord Transections, Spinal" OR "Spinal Cord Transections" OR "Transection, Spinal Cord" OR "Transections, Spinal Cord" OR "Spinal Cord Laceration" OR "Cord Laceration, Spinal" OR "Cord Lacerations, Spinal" OR "Laceration, Spinal Cord" OR "Lacerations, Spinal Cord" OR "Spinal Cord Lacerations" OR "Post-Traumatic Myelopathy" OR "Myelopathies, Post-Traumatic" OR "Myelopathy, Post-Traumatic" OR "Post Traumatic Myelopathy" OR "Post-Traumatic Myelopathies" OR "Spinal Cord Contusion" OR "Contusion, Spinal Cord" OR "Contusions, Spinal Cord" OR "Cord Contusion, Spinal" OR "Cord Contusions, Spinal" OR "Spinal Cord Contusions" OR "Injuries, Spinal" OR "Injury, Spinal" OR "Spinal Injury" OR "Paralysis" OR "Paralyses" OR "Plegia" OR "Plegias" OR "Palsy" OR "Palsies" OR "Quadriplegias" OR "Tetraplegia" OR "Tetraplegias" OR "Spastic Quadriplegia" OR "Quadriplegia, Spastic" OR "Quadriplegias, Spastic" OR "Spastic Quadriplegias" OR "Spastic Tetraplegia" OR "Spastic Tetraplegias" OR "Tetraplegia, Spastic" OR "Tetraplegias, Spastic" OR "Paralysis, Spinal, Quadriplegic" OR "Quadripareisis" OR "Quadripareses" OR "Flaccid Quadriplegia" OR "Flaccid Quadriplegias" OR "Quadriplegia, Flaccid" OR "Quadriplegias, Flaccid" OR "Flaccid Tetraplegia" OR "Flaccid Tetraplegias" OR "Tetraplegia, Flaccid" OR "Tetraplegias, Flaccid" OR "Quadriplegia")

Úlcera por presión: (pressure ulcer)

("pressure ulcer" OR "Pressure Ulcers" OR "Ulcer, Pressure" OR "Ulcers, Pressure" OR "Bedsore" OR "Bedsore" OR "Pressure Sore" OR "Pressure Sores" OR "Sore, Pressure" OR "Sores, Pressure" OR "Bed Sores" OR "Bed Sore" OR "Sore, Bed" OR "Sores, Bed" OR "Decubitus Ulcer" OR "Decubitus Ulcers" OR "Ulcer, Decubitus" OR "Ulcers, Decubitus")

Factores de riesgo:

("Risk factors" OR "Factor, Risk" OR "Factors, Risk" OR "Risk Factor" OR "Population at Risk" OR "Risk, Population at" OR "Populations at Risk" OR "Risk, Populations at")

PUBMED

(((((("spinal cord injury" OR "Spinal Cord Trauma" OR "Cord Trauma, Spinal" OR "Cord Traumas, Spinal" OR "Spinal Cord Traumas" OR "Trauma, Spinal Cord" OR "Traumas, Spinal Cord" OR "Injuries, Spinal Cord" OR "Cord Injuries, Spinal" OR "Cord Injury, Spinal" OR "Injury, Spinal Cord" OR "Spinal Cord Injury" OR "Myelopathy, Traumatic" OR "Myelopathies, Traumatic" OR "Traumatic Myelopathies" OR "Traumatic Myelopathy" OR "Spinal Cord Transection" OR "Cord Transection, Spinal" OR "Cord Transections, Spinal"

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

OR "Spinal Cord Transections" OR "Transection, Spinal Cord" OR "Transections, Spinal Cord" OR "Spinal Cord Laceration" OR "Cord Laceration, Spinal" OR "Cord Lacerations, Spinal" OR "Laceration, Spinal Cord" OR "Lacerations, Spinal Cord" OR "Spinal Cord Lacerations" OR "Post-Traumatic Myelopathy" OR "Myelopathies, Post-Traumatic" OR "Myelopathy, Post-Traumatic" OR "Post Traumatic Myelopathy" OR "Post-Traumatic Myelopathies" OR "Spinal Cord Contusion" OR "Contusion, Spinal Cord" OR "Contusions, Spinal Cord" OR "Cord Contusion, Spinal" OR "Cord Contusions, Spinal" OR "Spinal Cord Contusions" OR "Injuries, Spinal" OR "Injury, Spinal" OR "Spinal Injury" OR "Paralysis" OR "Paralyses" OR "Plegia" OR "Plegias" OR "Palsy" OR "Palsies" OR "Quadriplegias" OR "Tetraplegia" OR "Tetraplegias" OR "Spastic Quadriplegia" OR "Quadriplegia, Spastic" OR "Quadriplegias, Spastic" OR "Spastic Quadriplegias" OR "Spastic Tetraplegia" OR "Spastic Tetraplegias" OR "Tetraplegia, Spastic" OR "Tetraplegias, Spastic" OR "Paralysis, Spinal, Quadriplegic" OR "Quadriparesis" OR "Quadripareses" OR "Flaccid Quadriplegia" OR "Flaccid Quadriplegias" OR "Quadriplegia, Flaccid" OR "Quadriplegias, Flaccid" OR "Flaccid Tetraplegia" OR "Flaccid Tetraplegias" OR "Tetraplegia, Flaccid" OR "Tetraplegias, Flaccid" OR "Quadriplegia")))) AND (((("pressure ulcer" OR "Pressure Ulcers" OR "Ulcer, Pressure" OR "Ulcers, Pressure" OR "Bedsore" OR "Bedsore" OR "Pressure Sore" OR "Pressure Sores" OR "Sore, Pressure" OR "Sores, Pressure" OR "Bed Sores" OR "Bed Sore" OR "Sore, Bed" OR "Sores, Bed" OR "Decubitus Ulcer" OR "Decubitus Ulcers" OR "Ulcer, Decubitus" OR "Ulcers, Decubitus")))) AND (((("Risk factors" OR "Factor, Risk" OR "Factors, Risk" OR "Risk Factor" OR "Population at Risk" OR "Risk, Population at" OR "Populations at Risk" OR "Risk, Populations at")))) Filters: Humans, Adult: 19+ years

Cochrane

((spinal cord injury) OR (Spinal Cord Trauma) OR Paralysis OR Quadriplegia) AND ((Risk Factor) OR (Population at Risk)) AND ((pressure ulcer) OR (bed sore) OR (decubitus ulcer))

Lilacs

(spinal cord injury) OR (Spinal Cord Trauma) OR Paralysis OR Quadriplegia [Palabras] and (pressure ulcer) OR (bed sore) OR (decubitus ulcer) [Palabras] and (Risk Factor) OR (Population at Risk) [Palabras]

Scielo

((spinal cord injury) OR (Spinal Cord Trauma) OR Paralysis OR Quadriplegia) AND ((Risk Factor) OR (Population at Risk)) AND ((pressure ulcer) OR (bed sore) OR (decubitus ulcer))

Anexo 2. Estudios excluidos.

Autor	Año	Título	Excluidos			Motivo de exclusión
			Por idioma	Por título y resumen	A texto completo	
Vidal J	1991	An analysis of the diverse factors concerned with the development of pressure sores in spinal cord injured patients.			1	Análisis estadístico
Sonenblum SE	2018	Buttock tissue response to loading in men with spinal cord injury.			1	Análisis estadístico
Clark FA	2006	Data-based models of how pressure ulcers develop in daily-living contexts of adults with spinal cord injury.			1	Análisis estadístico
Krishnan S	2016	Early Detection of Pressure Ulcer Development Following Traumatic Spinal Cord Injury Using Inflammatory Mediators.			1	Análisis estadístico
Bogie KM	1995	Early progressive changes in tissue viability in the seated spinal cord injured subject.			1	Análisis estadístico
Chen W	2016	Elevated Levels of Protein Disulfide Isomerase and Binding Immunoglobulin Protein Implicated in Spinal Cord Injury Paraplegia Patients with Pressure Ulcers.			1	Análisis estadístico
Sae-Sia W	2005	Elevated sacral skin temperature (T(s)): a risk factor for pressure ulcer development in hospitalized neurologically impaired Thai patients.			1	Análisis estadístico
Goodman CM	1999	Evaluation of results and treatment variables for pressure ulcers in 48 veteran spinal cord-injured patients.			1	Análisis estadístico
Goodman BL	2014	actors in rehospitalisation for severe pressure ulcer care in spinal cord injury/disorders.			1	Análisis estadístico
Krause JS	2000	Health outcomes among American Indians with spinal cord injury.			1	Análisis estadístico
McKinley WO	1999	Long-term medical complications after traumatic spinal cord			1	Análisis estadístico

Anexo

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

		injury: a regional model systems analysis.				
Kreutzträger M	2018	Outcome analyses of a multimodal treatment approach for deep pressure ulcers in spinal cord injuries: a retrospective cohort study.			1	Análisis estadístico
Waters RL	1998	Postrehabilitation outcomes after spinal cord injury caused by firearms and motor vehicle crash among ethnically diverse groups.			1	Análisis estadístico
Andersen KE	1982	Prevention of pressure sores by identifying patients at risk.			1	Análisis estadístico
Curry K	1992	The relationship between extended periods of immobility and decubitus ulcer formation in the acutely spinal cord-injured individual.			1	Análisis estadístico
Mawson AR	1988	Risk factors for early occurring pressure ulcers following spinal cord injury.			1	Análisis estadístico
Moussavi RM	2003	Serum levels of vitamins A, C, and E in persons with chronic spinal cord injury living in the community.			1	Análisis estadístico
Schryvers OI	2000	Surgical treatment of pressure ulcers: 20-year experience.			1	Análisis estadístico
Klotz R	2002	The Tetrafigap Survey on the long-term outcome of tetraplegic spinal cord injured persons: Part III. Medical complications and associated factors.			1	Análisis estadístico
Peck GE	2018	Cervical spine immobilisation in the elderly: a literature review.			1	Diseño
Stillman MD	2017	Complications of Spinal Cord Injury Over the First Year After Discharge From Inpatient Rehabilitation.			1	Diseño
Guihan M	2016	Difficulty in Identifying Factors Responsible for Pressure Ulcer Healing in Veterans With Spinal Cord Injury.			1	Diseño
Guihan M	2016	Documentation of preventive care for pressure ulcers initiated during annual evaluations in SCI.			1	Diseño
Smit CA	2016	Effects of Electrical Stimulation on Risk Factors for Developing Pressure Ulcers in People with a Spinal Cord Injury: A Focused Review of Literature.			1	Diseño
Sopher R	2011	Effects of intramuscular fat infiltration, scarring, and spasticity			1	Diseño

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

		on the risk for sitting-acquired deep tissue injury in spinal cord injury patients.				
Ackland HM	2007	Factors predicting cervical collar-related decubitus ulceration in major trauma patients.			1	Diseño
Carbone LD	2013	Morbidity following lower extremity fractures in men with spinal cord injury.			1	Diseño
alzberg CA	1998	Predicting and preventing pressure ulcers in adults with paralysis.			1	Diseño
Scivoletto G	2018	Prediction Model for the Presence of Complications at Admission to Rehabilitation After Traumatic Spinal Cord Injury.			1	Diseño
Rodriguez GP	1994	Prospective study of pressure ulcer risk in spinal cord injury patients.			1	Diseño
Jackson J	2010	Qualitative study of principles pertaining to lifestyle and pressure ulcer risk in adults with spinal cord injury.			1	Diseño
Alderden J	2011	Risk profile characteristics associated with outcomes of hospital-acquired pressure ulcers: a retrospective review.			1	Diseño
Fogelberg DJ	2016	The role of habit in recurrent pressure ulcers following spinal cord injury.			1	Diseño
Ash D	2002	An exploration of the occurrence of pressure ulcers in a British spinal injuries unit.			1	Edad
Eslami V	2012	Factors associated with the development of pressure ulcers after spinal cord injury.			1	Edad
Idowu OK	2011	Risk factors for pressure ulceration in a resource constrained spinal injury service.			1	Edad
Vogel LC	2002	Adults with pediatric-onset spinal cord injury: part 1: prevalence of medical complications.			1	Edad
Thiyagarajan C	1984	Aetiology of pressure sores in patients with spinal cord injury.			1	Edad
Tate DG	2004	Patterns of alcohol and substance use and abuse in persons with spinal cord injury: risk factors and correlates.			1	Edad
Arnold N.	1994	Clinical study: the relationship between patient perceived risk			1	No se encontró el

Anexo

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

		and actual risk for the development of pressure ulcers.				artículo
Salzberg CA	1996	A new pressure ulcer risk assessment scale for individuals with spinal cord injury.			1	No se encontró el artículo
Hammond MC	1994	Pressure ulcer incidence on a spinal cord injury unit.			1	No se encontró el artículo
Shannon ML	1989	Pressure ulcer prevalence in two general hospitals.			1	No se encontró el artículo
Fuhrer MJ	1993	Pressure ulcers in community-resident persons with spinal cord injury: prevalence and risk factors.			1	No se encontró el artículo
Niazi ZB	1997	Recurrence of initial pressure ulcer in persons with spinal cord injuries.			1	No se encontró el artículo
Maklebust J	1994	Risk factors associated with having a pressure ulcer: a secondary data analysis.			1	No se encontró el artículo
Lehman CA.	1995	Risk factors for pressure ulcers in the spinal cord injured in the community.			1	No se encontró el artículo
Correa G	1999	Manejo de úlceras por presión: mejora calidad de vida de lesionados medulares			1	No se encontró el artículo
Cowan LJ	2012	Enhancing Braden pressure ulcer risk assessment in acutely ill adult veterans.			1	Población
Ham HW	2017	Pressure ulcer development in trauma patients with suspected spinal injury; the influence of risk factors present in the Emergency Department.			1	Población
DiVita MA	2015	Risk Factors for Development of New or Worsened Pressure Ulcers Among Patients in Inpatient Rehabilitation Facilities in the United States: Data From the Uniform Data System for Medical Rehabilitation.			1	Población
Padula WV	2017	Using clinical data to predict high-cost performance coding issues associated with pressure ulcers: a multilevel cohort model.			1	Población
Swaine JM	2018	Adaptation of a MR imaging protocol into a real-time clinical biometric ultrasound protocol for persons with spinal cord injury		1		

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

		at risk for deep tissue injury: A reliability study.				
Sever R	2012	Admission Norton scale scores (ANSS) are associated with post-operative complications following spine fracture surgery in the elderly.		1		
Grew M	2000	The ankle brachial index in chronic spinal cord injury: a pilot study.		1		
Paletta C	1993	Applications of the posterior thigh flap.		1		
Chan BC	2013	The average cost of pressure ulcer management in a community dwelling spinal cord injury population.		1		
Wall BM	2003	Bacteremia in the chronic spinal cord injury population: risk factors for mortality.		1		
Dinh A	2016	Blood stream infections due to multidrug-resistant organisms among spinal cord-injured patients, epidemiology over 16 years and associated risks: a comparative study.		1		
Meyers AR	1999	The "Boston model" of managed care and spinal cord injury: a cross-sectional study of the outcomes of risk-based, prepaid, managed care.		1		
Davis BA	1996	Cellulitis--an unreported complication of long-term SCI patients.		1		
Ham HW	2014	Cervical collar-related pressure ulcers in trauma patients in intensive care unit.		1		
Walter JS	2000	Characteristics of persons with spinal cord injury as documented by use of an interactive data system.		1		
Wellard S	2000	Comparing Norton, Braden and Waterlow risk assessment scales for pressure ulcers in spinal cord injuries.		1		
Trewartha M	2011	Comparison of the pressure redistribution qualities of two air-filled wheelchair cushions for people with spinal cord injuries.		1		
Pyatak EA	2013	Conducting intervention research among underserved populations: lessons learned and recommendations for researchers.		1		
Huijssen-Huisman	2009	[Decubitus ulcers in spinal cord lesion: proactive inspection].		1		

Anexo

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

EJ						
Lüscher NJ	1989	[Decubitus ulcers of the pelvic area. Diagnosis and surgical therapy].		1		
Egner A	2003	Depression, fatigue, and health-related quality of life among people with advanced multiple sclerosis: results from an exploratory telerehabilitation study.		1		
Tzanos IA	2018	Depressive mood in individuals with spinal cord injury (SCI) living in Greece.		1		
Salzberg CA	1990	Development of a computerized data base to evaluate pressure ulcers.		1		
Brunel AS	2016	Diagnosing pelvic osteomyelitis beneath pressure ulcers in spinal cord injured patients: a prospective study.		1		
Chraibi H	2004	The diagnosis and treatment of carcinomas occurring at the sites of chronic pressure ulcers.		1		
Chek Siang KC	2017	Diagnostic dilemma of sacral abscess presented with seizure and altered conscious level in a patient with spinal cord injury.		1		
Patatoukas D	2011	Disability-related injuries in athletes with disabilities.		1		
Kennedy P	2003	The effect of a specialist seating assessment clinic on the skin management of individuals with spinal cord injury.		1		
Brewer S	2010	Effect of an arginine-containing nutritional supplement on pressure ulcer healing in community spinal patients.		1		
Pollack SF	2004	The effect of electrically induced lower extremity ergometry on an ischial pressure ulcer: a case study.		1		
van Londen A	2008	The effect of surface electric stimulation of the gluteal muscles on the interface pressure in seated people with spinal cord injury.		1		
Mok JM	2013	Effect of vacuum spine board immobilization on incidence of pressure ulcers during evacuation of military casualties from theater.		1		
Yang YS	2010	Effects of audio feedback on sitting behaviors of community-dwelling manual wheelchair users with spinal cord injuries.		1		

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

Tzen YT	2010	Effects of local cooling on sacral skin perfusion response to pressure: implications for pressure ulcer prevention.		1		
Maharaj JC	1996	Epidemiology of spinal cord paralysis in Fiji: 1985-1994.		1		
Cardenas DD	2004	Etiology and incidence of rehospitalization after traumatic spinal cord injury: a multicenter analysis.		1		
Stinson M	2018	Exploring repositioning movements in sitting with 'at risk' groups using accelerometry and interface pressure mapping technologies.		1		
Dalyan M	1998	Factors associated with contractures in acute spinal cord injury.		1		
Kim S	2015	Factors associated with pressure ulcers in individuals with spina bifida.		1		
Taule T	2013	Factors influencing optimal seating pressure after spinal cord injury.		1		
Valayer-Chaleat E	1998	Femoral fracture and iatrogenic hyperthyroidism in spinal cord injury.		1		
Smit CA	2013	Gluteal blood flow and oxygenation during electrical stimulation-induced muscle activation versus pressure relief movements in wheelchair users with a spinal cord injury.		1		
Stotts KM.	1986	Health maintenance: paraplegic athletes and nonathletes.		1		
Krause JS	2011	Health, secondary conditions, and life expectancy after spinal cord injury.		1		
Taly AB	1999	Heterotopic ossification in non-traumatic myelopathies.		1		
Dai L	1998	Heterotopic ossification of the hip after spinal cord injury.		1		
Lindquist LA	2003	How sedative medication in older people affects patient risk factors for developing pressure ulcers.		1		
Chen AT	2013	Impact of nonoperative treatment, vertebroplasty, and kyphoplasty on survival and morbidity after vertebral compression fracture in the medicare population.		1		
Lala D	2014	Impact of pressure ulcers on individuals living with a spinal cord injury.		1		

Anexo

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

Bravo-Payno P	1992	Incidence and risk factors in the appearance of heterotopic ossification in spinal cord injury.		1		
Rimler JC	2011	The incidence of venous thromboembolism in postoperative Plast Reconstr Surg patients with chronic spinal cord injury.		1		
Zembower NR	2017	Klebsiella pneumoniae carbapenemase-producing K. pneumoniae (KPC-KP) in brain and spinal cord injury patients: potential for prolonged colonization.		1		
Montgomerie JZ	1991	Low mortality among patients with spinal cord injury and bacteremia.		1		
Phillips C	2010	Management of a complex wound in a person with spinal cord injury and mental illness.		1		
Margolis DJ	2003	Medical conditions as risk factors for pressure ulcers in an outpatient setting.		1		
Obalum DC	2008	Morbidity and mortality associated with polytrauma at a Nigerian tertiary hospital.		1		
Brienza D	2018	An MRI investigation of the effects of user anatomy and wheelchair cushion type on tissue deformation.		1		
Ramanathan S	2017	Multidrug-resistant Acinetobacter: Risk factors and outcomes in veterans with spinal cord injuries and disorders.		1		
Keys KA	2010	Multivariate predictors of failure after flap coverage of pressure ulcers.		1		
Citak M	2011	Necrotizing fasciitis in patients with spinal cord injury: an analysis of 25 patients.		1		
Cunningham SC	2004	Necrotizing soft tissue infection from decubitus ulcer after spinal cord injury.		1		
Rischbieth H	1998	Neuromuscular electrical stimulation keeps a tetraplegic subject in his chair: a case study.		1		
Beaudreuil J	2006	[Nonpharmacological treatments for osteoporosis].		1		
Citterio A	2004	Nontraumatic spinal cord injury: an Italian survey.		1		
Nair KP	2005	Nontraumatic spinal cord lesions: a prospective study of medical		1		

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

		complications during in-patient rehabilitation.				
Nicolle LE	1988	Nosocomial infections on a rehabilitation unit in an acute care hospital.		1		
Lussi C	2018	Nutritional blood parameters and nutritional risk screening in patients with spinal cord injury and deep pressure ulcer-a retrospective chart analysis.		1		
Sheerin F	2007	The occipital and sacral pressures experienced by healthy volunteers under spinal immobilization: a trial of three surfaces.		1		
Crane B	2016	Orthotic-Style Off-Loading Wheelchair Seat Cushion Reduces Interface Pressure Under Ischial Tuberosities and Sacrococcygeal Regions.		1		
Krause JS	2017	Pain Intensity, Interference, and Medication Use After Spinal Cord Injury: Association With Risk of Mortality After Controlling for Socioeconomic and Other Health Factors.		1		
Ter Woerds W	2006	Passive leg movements and passive cycling do not alter arterial leg blood flow in subjects with spinal cord injury.		1		
Middleton JW	2004	Patterns of morbidity and rehospitalisation following spinal cord injury.		1		
Yokoo KM	1996	Peripheral vascular disease in spinal cord injury patients: a difficult diagnosis.		1		
Hossain MS	2017	A pilot randomised trial of community-based care following discharge from hospital with a recent spinal cord injury in Bangladesh.		1		
January AM	2015	Predictive factors of hospitalization in adults with pediatric-onset SCI: a longitudinal analysis.		1		
Evans CT	2009	Predictors and outcomes of antibiotic adequacy for bloodstream infections in veterans with spinal cord injury.		1		
Rabadi MH	2013	Predictors of mortality in veterans with traumatic spinal cord injury.		1		
Guihan M	2008	Predictors of pressure ulcer recurrence in veterans with spinal		1		

Anexo

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

		cord injury.				
Berthold J	2013	Pressure mapping to assess seated pressure distributions and the potential risk for skin ulceration in a population of sledge hockey players and control subjects.		1		
Backhaus M	2011	Pressure sores significantly increase the risk of developing a Fournier's gangrene in patients with spinal cord injury.		1		
Atiyeh BS	2005	Pressure sores with associated spasticity: a clinical challenge.		1		
Schubart JR	2008	Pressure ulcer prevention and management in spinal cord-injured adults: analysis of educational needs.		1		
Peterson MJ	2015	Pressure ulcer risk of patient handling sling use.		1		
Yarkony GM	1994	Pressure ulcers: a review.		1		
Harrow JJ	2008	Pressure ulcers and occipital alopecia in Operation Iraqi Freedom polytrauma casualties.		1		
Ham WH	2016	Pressure ulcers, indentation marks and pain from cervical spine immobilization with extrication collars and headblocks: An observational study.		1		
Redelings MD	2005	Pressure ulcers: more lethal than we thought?		1		
Harding-Okimoto MB	1997	Pressure ulcers, self-concept and body image in spinal cord injury patients.		1		
Rintala DH	2008	Preventing recurrent pressure ulcers in veterans with spinal cord injury: impact of a structured education and follow-up intervention.		1		
Smit CA	2013	Prolonged electrical stimulation-induced gluteal and hamstring muscle activation and sitting pressure in spinal cord injury: effect of duty cycle.		1		
Krause JS	2008	A prospective study of health and risk of mortality after spinal cord injury.		1		
Hung EW	2007	Proteus bacteriuria is associated with significant morbidity in spinal cord injury.		1		
Delparte JJ	2015	Psychometric Properties of the Spinal Cord Injury Pressure Ulcer		1		

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

		Scale (SCIPUS) for Pressure Ulcer Risk Assessment During Inpatient Rehabilitation.				
Bahena-Salgado Y	2007	[Quality of life of patients with paraplegia secondary to traumatic spine injury].		1		
Deitrick G	2007	Reduced arterial circulation to the legs in spinal cord injury as a cause of skin breakdown lesions.		1		
New PW	2014	Rehabilitation outcomes following infections causing spinal cord myelopathy.		1		
DeJong G	2013	Rehospitalization in the first year of traumatic spinal cord injury after discharge from medical rehabilitation.		1		
Dunn CA	2009	Response factors surrounding progression of pressure ulcers in community-residing adults with spinal cord injury.		1		
Cruse JM	2000	Review of immune function, healing of pressure ulcers, and nutritional status in patients with spinal cord injury.		1		
Wall BM	1999	Risk factors for development of proteinuria in chronic spinal cord injury.		1		
Citak M	2012	Risk factors for heterotopic ossification in patients with spinal cord injury: a case-control study of 264 patients.		1		
Lal S	1989	Risk factors for heterotopic ossification in spinal cord injury.		1		
Cao Y	2013	Risk factors for mortality after spinal cord injury in the USA.		1		
Frankel H	2007	Risk factors for pressure ulcer development in a best practice surgical intensive care unit.		1		
Coelho CV	2009	Risk factors of heterotopic ossification in traumatic spinal cord injury.		1		
Krause JS	2009	Risk of mortality after spinal cord injury: an 8-year prospective study.		1		
Becker SW	2001	The role of plasma transglutaminase (F XIII) in wound healing of complicated pressure sores after spinal cord injury.		1		
Hamon-Mekki F	2003	[Sacral decubitus in young tetraplegic patients].		1		
Mawson AR	1993	Sacral transcutaneous oxygen tension levels in the spinal cord		1		

Anexo

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

		injured: risk factors for pressure ulcers?				
Edlich RF	2006	Scientific basis for the selection of absorbent underpads that remain securely attached to underlying bed or chair.		1		
Adriaansen JJ	2013	Secondary health conditions in persons with a spinal cord injury for at least 10 years: design of a comprehensive long-term cross-sectional study.		1		
Rieger U	2007	[Six treatment principles of the basle pressure sore concept].		1		
Krause JS	1998	Skin sores after spinal cord injury: relationship to life adjustment.		1		
Yalcin E	2013	Skin thickness on bony prominences measured by ultrasonography in patients with spinal cord injury.		1		
Shanmugham K	2004	Social problem solving abilities and psychosocial impairment among individuals recuperating from surgical repair for severe pressure sores.		1		
Coggrave MJ	2003	A specialist seating assessment clinic: changing pressure relief practice.		1		
Zafonte RD	2003	Spinal epidural abscess: study of early outcome.		1		
Chou CY	2015	Squamous cell carcinoma arising from a recurrent ischial pressure ulcer: a case report.		1		
Kehn M	2009	Staying physically active after spinal cord injury: a qualitative exploration of barriers and facilitators to exercise participation.		1		
Krause JS	2010	A structural analysis of health outcomes after spinal cord injury.		1		
Bilkay U	2006	[Surgical coverage technics of pressure sores and their outcomes].		1		
Curtis KA	1985	Survey of wheelchair athletic injuries: common patterns and prevention.		1		
Tchvaloon E	2008	Survival, neurological recovery and morbidity after spinal cord injuries following road accidents in Israel.		1		
Ponce de Leon M.	2015	Teamwork approach to prevention and treatment of skin breakdown in spinal cord patients.		1		
Coggrave M	2002	Topical negative pressure for pressure ulcer management.		1		

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

Desport JC	2000	Total body water and percentage fat mass measurements using bioelectrical impedance analysis and anthropometry in spinal cord-injured patients.		1		
Keast DH	2004	Treatment of chronic skin ulcers in individuals with anemia of chronic disease using recombinant human erythropoietin (EPO): a review of four cases.		1		
Horch RE	2003	[Treatment of decubitus ulcers in the geriatric patient].		1		
Hossain MS	2016	Two-year survival following discharge from hospital after spinal cord injury in Bangladesh.		1		
Wong S	2017	Use of antibiotic and prevalence of antibiotic-associated diarrhoea in-patients with spinal cord injuries: a UK national spinal injury centre experience.		1		
Wong S	2017	Use of antibiotics and the prevalence of antibiotic-associated diarrhoea in patients with spinal cord injuries: an international, multi-centre study.		1		
Kim J	2010	The use of sensory electrical stimulation for pressure ulcer prevention.		1		
Street JT	2013	Use of the Spine Adverse Events Severity System (SAVES) in patients with traumatic spinal cord injury. A comparison with institutional ICD-10 coding for the identification of acute care adverse events.		1		
Kapoor A	2008	Using the case mix of pressure ulcer healing to evaluate nursing home performance.		1		
Larson DL	2013	Vastus lateralis flap reconstruction after girdlestone arthroplasty: thirteen consecutive cases and outcomes.		1		
Huijssen-Huisman EJ	2009	[Decubitus ulcers in spinal cord lesion: proactive inspection].	1			
Lüscher NJ	1989	[Decubitus ulcers of the pelvic area. Diagnosis and surgical therapy].	1			
Beaudreuil J	2006	[Nonpharmacological treatments for osteoporosis].	1			

Anexo

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

Bahena-Salgado Y	2007	[Quality of life of patients with paraplegia secondary to traumatic spine injury].	1			
Hamon-Mekki F	2003	[Sacral decubitus in young tetraplegic patients].	1			
Rieger U	2007	[Six treatment principles of the basle pressure sore concept].	1			
Bilkay U	2006	[Surgical coverage technics of pressure sores and their outcomes].	1			
Horch RE	2003	[Treatment of decubitus ulcers in the geriatric patient].	1			
Norman G	2016	Antibiotics and antiseptics for pressure ulcers		1		
Westby MJ	2017	Dressings and topical agents for treating pressure ulcers		1		
Groah SL	2014	Prevention of Pressure Ulcers Among People with Spinal Cord Injury: A Systematic Review.		1		
Garcia-Arguello LY	2016	Infections in the spinal cord-injured population: a systematic review.		1		
Marin J	2013	A systematic review of risk factors for the development and recurrence of pressure ulcers in people with spinal cord injuries.		1		
Health Quality Ontario	2009	Management of chronic pressure ulcers: an evidence-based analysis.		1		

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

REFERENCIAS DE LOS ARTÍCULOS EXCLUIDOS.

1. Vidal J, Sarrias M. "An analysis of the diverse factors concerned with the development of pressure sores in spinal cord injured patients." *Paraplegia* 29.4 (1991): 261-267.
2. Sonenblum SE, Sprigle SH. "Buttock tissue response to loading in men with spinal cord injury." *PloS one* 13.2 (2018): e0191868.
3. Clark FA, Jackson JM, Scott MD, Carlson ME, Atkins MS, Uhles-Tanaka D, et al. "Data-based models of how pressure ulcers develop in daily-living contexts of adults with spinal cord injury." *Arch Phys Med Rehabil* 87.11 (2006): 1516-1525.
4. Krishnan S, Karg PE, Boninger ML, Vodovotz Y, Constantine G5, Sowa GA, et al. "Early detection of pressure ulcer development following traumatic spinal cord injury using inflammatory mediators." *Arch Phys Med Rehabil* 97.10 (2016): 1656-1662
5. Bogie KM, Nuseibeh I, Bader DL. "Early progressive changes in tissue viability in the seated spinal cord injured subject." *Spinal Cord* 33.3 (1995): 141.
6. Chen W, Liu J, Zhao L, Wang C, Li Z, Liu T. "Elevated Levels of Protein Disulfide Isomerase and Binding Immunoglobulin Protein Implicated in Spinal Cord Injury Paraplegia Patients with Pressure Ulcers." *Genet Test Mol Biomarkers* 20.7 (2016): 367-372.
7. Sae-Sia W, Wipke-Tevis DD, Williams DA. "Elevated sacral skin temperature (Ts): a risk factor for pressure ulcer development in hospitalized neurologically impaired Thai patients." *Appl Nurs Res* 18.1 (2005): 29-35.
8. Goodman CM, Cohen V, Armenta A, Thornby J, Netscher DT. "Evaluation of results and treatment variables for pressure ulcers in 48 veteran spinal cord-injured patients." *Ann Plast Surg* 42.6 (1999): 665-672.
9. Goodman BL, Schindler A, Washington M, Bogie KM, Ho CH. "Factors in rehospitalisation for severe pressure ulcer care in spinal cord injury/disorders." *J Wound Care* 23.4 (2014): 165-175.
10. Krause JS, Coker JL, Charlifue S, Whiteneck GG. "Health outcomes among American Indians with spinal cord injury." *Arch Phys Med Rehabil* 81.7 (2000): 924-931.
11. McKinley WO, Jackson AB, Cardenas DD, DeVivo MJ. "Long-term medical complications after traumatic spinal cord injury: a regional model systems analysis." *Arch Phys Med Rehabil* 80.11 (1999): 1402-1410.
12. Kreuzträger M, Voss H, Scheel-Sailer A, Liebscher T. "Outcome analyses of a multimodal treatment approach for deep pressure ulcers in spinal cord injuries: a retrospective cohort study." *Spinal cord* 56.6 (2018): 582.
13. Waters RL, Adkins RH, Sie I, Cressy J. "Postrehabilitation outcomes after spinal cord injury caused by firearms and motor vehicle crash among ethnically diverse groups." *Arch Phys Med Rehabil* 79.10 (1998): 1237-1243.
14. Andersen KE, Jensen O, Kvorning SA, Bach E. "Prevention of pressure sores by identifying patients at risk." *Br Med J (Clin Res Ed)* 284.6326 (1982): 1370-1371.
15. Curry K, Casady L. "The relationship between extended periods of immobility and decubitus ulcer formation in the acutely spinal cord-injured individual." *J Neurosci Nurs* 24.4 (1992): 185-189.
16. Mawson AR, Biundo JJ Jr, Neville P, Linares HA, Winchester Y, Lopez A. "Risk factors for early occurring pressure ulcers following spinal cord injury." *Am J Phys Med Rehabil* 67.3 (1988): 123-127.
17. Moussavi RM, Garza HM, Eisele SG, Rodriguez G, Rintala DH. "Serum levels of vitamins A, C, and E in persons with chronic spinal cord injury living in the community." *Arch Phys Med Rehabil* 84.7 (2003): 1061-1067.

18. Schryvers, Orpha I., Miroslaw F. Stranc, and Patricia W. Nance. "Surgical treatment of pressure ulcers: 20-year experience." *Arch Phys Med Rehabil* 81.12 (2000): 1556-1562.
19. Klotz R, Joseph PA, Ravaud JF, Wiart L, Barat M, et al. "The Tetrafigap Survey on the long-term outcome of tetraplegic spinal cord injured persons: Part III. Medical complications and associated factors." *Spinal cord* 40.9 (2002): 457.
20. Peck GE, Shipway DJH, Tsang K, Fertleman M. "Cervical spine immobilisation in the elderly: a literature review." *Br J Neurosurg* 32.3 (2018): 286-290.
21. Stillman MD, Barber J, Burns S, Williams S, Hoffman JM. "Complications of spinal cord injury over the first year after discharge from inpatient rehabilitation." *Arch Phys Med Rehabil* 98.9 (2017): 1800-1805.
22. Guihan M, Sohn MW, Bauman WA, Spungen AM, Powell-Cope GM, Thomason SS, et al. "Difficulty in identifying factors responsible for pressure ulcer healing in veterans with spinal cord injury." *Arch Phys Med Rehabil* 97.12 (2016): 2085-2094.
23. Guihan M, Murphy D, Rogers TJ, Parachuri R, Sae Richardson M, Lee KK, et al. "Documentation of preventive care for pressure ulcers initiated during annual evaluations in SCI." *J Spinal Cord Med* 39.3 (2016): 290-300.
24. Smit CA, de Groot S, Stolwijk-Swuste JM, Janssen TW. "Effects of electrical stimulation on risk factors for developing pressure ulcers in people with a spinal cord injury: a focused review of literature." *Am J Phys Med Rehabil* 95.7 (2016): 535-552.
25. Sopher R, Nixon J, Gorecki C, Gefen A. "Effects of intramuscular fat infiltration, scarring, and spasticity on the risk for sitting-acquired deep tissue injury in spinal cord injury patients." *J Biomech Eng* 133.2 (2011): 021011.
26. Ackland HM, Cooper DJ, Malham GM, Kossmann T. "Factors predicting cervical collar-related decubitus ulceration in major trauma patients." *Spine* 32.4 (2007): 423-428.
27. Carbone LD, Chin AS, Burns SP, Svircev JN, Hoenig H, Heggeness M, et al. "Morbidity following lower extremity fractures in men with spinal cord injury." *Osteoporos Int* 24.8 (2013): 2261-2267.
28. Salzberg CA, Byrne DW, Cayten CG, Kabir R, van Niewerburgh P, Viehbeck M, et al. "Predicting and preventing pressure ulcers in adults with paralysis." *Adv Wound Care* 11.5 (1998): 237-246.
29. Scivoletto G, Torre M, Iosa M, Porto MR, Molinari M. "Prediction model for the presence of complications at admission to rehabilitation after traumatic spinal cord injury." *Top Spinal Cord Inj Rehabil* 24.2 (2017): 151-156.
30. Rodriguez, G. P., and S. L. Garber. "Prospective study of pressure ulcer risk in spinal cord injury patients." *Spinal Cord* 32.3 (1994): 150.
31. Jackson J, Carlson M, Rubayi S, Scott MD, Atkins MS, Blanche EI, et al. "Qualitative study of principles pertaining to lifestyle and pressure ulcer risk in adults with spinal cord injury." *Disabil Rehabil* 32.7 (2010): 567-578.
32. Alderden J, Whitney JD, Taylor SM, Zaratkiewicz S. "Risk profile characteristics associated with outcomes of hospital-acquired pressure ulcers: a retrospective review." *Crit Care Nurse* 31.4 (2011): 30-43.
33. Fogelberg DJ, Powell JM, Clark FA. "The role of habit in recurrent pressure ulcers following spinal cord injury." *Scand J Occup Ther* 23.6 (2016): 467-476.
34. Ash, David. "An exploration of the occurrence of pressure ulcers in a British spinal injuries unit." *J Clin Nurs* 11.4 (2002): 470-478.
35. Eslami V, Saadat S, Habibi Arejan R, Vaccaro AR, Ghodsi SM, Rahimi-Movaghar V. "Factors associated with the development of pressure ulcers after spinal cord injury." *Spinal Cord* 50.12 (2012): 899.
36. Idowu OK, Yinusa W, Gbadegesin SA, Adebule GT. "Risk factors for pressure ulceration in a resource

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

- constrained spinal injury service." *Spinal cord* 49.5 (2011): 643.
37. Vogel LC, Krajci KA, Anderson CJ. "Adults with pediatric-onset spinal cord injury: part 1: prevalence of medical complications." *J Spinal Cord Med* 25.2 (2002): 106-116.
38. Thiyagarajan C, Silver JR. "Aetiology of pressure sores in patients with spinal cord injury." *Br Med J (Clin Res Ed)* 289.6457 (1984): 1487-1490.
39. Tate DG, Forchheimer MB, Krause JS, Meade MA, Bombardier CH. "Patterns of alcohol and substance use and abuse in persons with spinal cord injury: risk factors and correlates." *Arch Phys Med Rehabil* 85.11 (2004): 1837-1847.
40. Arnold, N. "Clinical study: the relationship between patient perceived risk and actual risk for the development of pressure ulcers." *Ostomy Wound Manage* 40.3 (1994): 36-40.
41. Salzberg CA, Byrne DW, Cayten CG, van Niewerburgh P, Murphy JG, Viehbeck M. "A New Pressure Ulcer Risk Assessment Scale For Individuals With Spinal Cord Injury." *Adv Skin Wound Care* 10.1 (1997): 18-20.
42. Hammond MC, Bozzacco VA, Stiens SA, Buhner R, Lyman P. "Pressure ulcer incidence on a spinal cord injury unit." *Adv Wound Care* 7.6 (1994): 57-60.
43. Shannon ML, Skorga P. "Pressure ulcer prevalence in two general hospitals." *Decubitus* 2.4 (1989): 38-43.
44. Fuhrer MJ, Garber SL, Rintala DH, Clearman R, Hart KA. "Pressure ulcers in community-resident persons with spinal cord injury: prevalence and risk factors." *Arch Phys Med Rehabil* 74.11 (1993): 1172-1177.
45. Niazi ZB, Salzberg CA, Byrne DW, Viehbeck M. "Recurrence of initial pressure ulcer in persons with spinal cord injuries." *Adv Wound Care* 10.3 (1997): 38-42.
46. Maklebust J, Magnan MA. "Risk factors associated with having a pressure ulcer: a secondary data analysis." (1994): 25-27.
47. Lehman, Cheryl A. "Risk factors for pressure ulcers in the spinal cord injured in the community." *SCI Nurs* 12.4 (1995): 110-114.
48. Correa, Gerardo. "Manejo de úlceras por presión: mejora calidad de vida de lesionados medulares." *Bol. Cient. Asoc. Chil. Segur* 1.2 (1999): 36-39.
49. Cowan LJ, Stechmiller JK, Rowe M, Kairalla JA. "Enhancing Braden pressure ulcer risk assessment in acutely ill adult veterans." *Wound Repair Regen* 20.2 (2012): 137-148.
50. Ham HW, Schoonhoven LL, Schuurmans MM, Leenen LL. "Pressure ulcer development in trauma patients with suspected spinal injury; the influence of risk factors present in the Emergency Department." *Int Emerg Nurs* 30 (2017): 13-19.
51. DiVita MA, Granger CV, Goldstein R, Niewczyk P, Freudenheim JL. "Risk factors for development of new or worsened pressure ulcers among patients in inpatient rehabilitation facilities in the United States: data from the Uniform Data System for Medical Rehabilitation." *PM&R* 7.6 (2015): 599-612.
52. Padula WV, Gibbons RD, Pronovost PJ, Hedeker D, Mishra MK, Makic MB, et al. "Using clinical data to predict high-cost performance coding issues associated with pressure ulcers: a multilevel cohort model." *J Am Med Inform Assoc* 24.e1 (2016): e95-e102.
53. Swaine JM, Moe A, Breidahl W, Bader DL, Oomens CWJ, Lester L, et al. "Adaptation of a MR imaging protocol into a real-time clinical biometric ultrasound protocol for persons with spinal cord injury at risk for deep tissue injury: A reliability study." *J Tissue Viability* 27.1 (2018): 32-41.
54. Sever R, Gold A, Segal O, Regev G, Keynan O, Salai M, et al. "Admission Norton scale scores (ANSS) are associated with post-operative complications following spine fracture surgery in the elderly." *Arch Gerontol Geriatr* 55.1 (2012): 177-180.

55. Grew, M., Kirshblum, S., Wood, K., Millis, S., & Ma, R. "The ankle brachial index in chronic spinal cord injury: a pilot study." *J Spinal Cord Med* 23.4 (2000): 284-288.
56. Paletta, Christian, Thomas Bartell, and Sameer Shehadi. "Applications of the posterior thigh flap." *Ann Plast Surg* 30.1 (1993): 41-47.
57. Chan BC, Nanwa N, Mittmann N, Bryant D, Coyte PC, Houghton PE. "The average cost of pressure ulcer management in a community dwelling spinal cord injury population." *Int Wound J* 10.4 (2013): 431-440.
58. Wall BM, Mangold T, Huch KM, Corbett C, Cooke CR. "Bacteremia in the chronic spinal cord injury population: risk factors for mortality." *J Spinal Cord Med* 26.3 (2003): 248-253.
59. Dinh A, Saliba M, Saadeh D, Bouchand F, Descatha A, Roux AL, et al. "Blood stream infections due to multidrug-resistant organisms among spinal cord-injured patients, epidemiology over 16 years and associated risks: a comparative study." *Spinal Cord* 54.9 (2016): 720.
60. Meyers, Allan R., Alice Bisbee, and Michael Winter. "The "Boston model" of managed care and spinal cord injury: a cross-sectional study of the outcomes of risk-based, prepaid, managed care." *Arch Phys Med Rehabil* 80.11 (1999): 1450-1456.
61. Davis BA, Handy CA. "Cellulitis--an unreported complication of long-term SCI patients." *SCI Nurs* 13.2 (1996): 35-38.
62. Ham HW, Schoonhoven LL, Galer AA, Shortridge-Baggett LL. "Cervical collar-related pressure ulcers in trauma patients in intensive care unit." *J Trauma Nurs* 21.3 (2014): 94-102.
63. Walter JS, Sacks J, Othman R, Scianna J, Nemchauský B, Chintam R, et al. "Characteristics of persons with spinal cord injury as documented by use of an interactive data system." *J Spinal Cord Med* 23.4 (2000): 257-262.
64. Wellard, Sally, and Sing Kai Lo. "Comparing Norton, Braden and Waterlow risk assessment scales for pressure ulcers in spinal cord injuries." *Contemp nurse* 9.2 (2000): 155-160.
65. Trewartha, Madeleine, and Kathy Stiller. "Comparison of the pressure redistribution qualities of two air-filled wheelchair cushions for people with spinal cord injuries." *Aust Occup Ther J* 58.4 (2011): 287-292.
66. Pyatak EA, Blanche EI, Garber SL, Diaz J, Blanchard J, Florindez L, et al. "Conducting intervention research among underserved populations: lessons learned and recommendations for researchers." *Arch Phys Med Rehabil* 94.6 (2013): 1190-1198.
67. Huijssen-Huisman EJ, Sluis TA, den Besten H. "Decubitus ulcers in spinal cord lesion: proactive inspection." *Ned Tijdschr Geneesk* 153 (2009): B318-B318.
68. Lüscher, N. J. "Decubitus ulcers of the pelvic area. Diagnosis and surgical therapy." *Aktuelle Probl Chir Orthop* 33 (1989): 3.
69. Egner A, Phillips VL, Vora R, Wiggers E. "Depression, fatigue, and health-related quality of life among people with advanced multiple sclerosis: results from an exploratory telerehabilitation study." *NeuroRehabilitation* 18.2 (2003): 125-133.
70. Tzanos IA, Mavrogenis A, Gioti K, Papagelopoulos P, Panagiotopoulos E. "Depressive mood in individuals with spinal cord injury (SCI) living in Greece." *Spinal cord* (2018): 1.
71. Salzberg CA, Harmatz A, Byrne DW, D'Ariano G, Petro JA. "Development of a computerized data base to evaluate pressure ulcers." *Decubitus* 3.3 (1990): 29-36.
72. Brunel AS, Lamy B, Cyteval C, Perrochia H, Téot L, Masson R, et al. "Diagnosing pelvic osteomyelitis beneath pressure ulcers in spinal cord injured patients: a prospective study." *Clin Microbiol Infect* 22.3 (2016): 267-e1.
73. Chraïbi H, Dereure O, Téot L, Guillot B. "The diagnosis and treatment of carcinomas occurring at the sites of chronic pressure ulcers." *J Wound Care* 13.10 (2004): 447-448.

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

74. Chek Siang KC, Ahmad Fauzi A, Hasnan N. "Diagnostic dilemma of sacral abscess presented with seizure and altered conscious level in a patient with spinal cord injury." *J Spinal Cord Med* 40.1 (2017): 113-117.
75. Patatoukas D, Farmakides A, Aggeli V, Fotaki S, Tsibidakis H, Mavrogenis AF, et al. "Disability-related injuries in athletes with disabilities." *Folia medica* 53.1 (2011): 40-46.
76. Kennedy P, Berry C, Coggrave M, Rose L, Hamilton L. "The effect of a specialist seating assessment clinic on the skin management of individuals with spinal cord injury." *J Tissue Viability* 13.3 (2003): 122-125.
77. Brewer S, Desneves K, Pearce L, Mills K, Dunn L, Brown D, et al. "Effect of an arginine-containing nutritional supplement on pressure ulcer healing in community spinal patients." *J Wound Care* 19.7 (2010): 311-316.
78. Pollack, Susan F., Kristjan T. Ragnarsson, and Marcel Djikers. "The Effect of Electrically Induced Lower Extremity Ergometry an an Ischial Pressure Ulcer: A Case Study." *J Spinal Cord Med* 27.2 (2004): 143-147.
79. van Londen A, Herwegh M, van der Zee CH, Daffertshofer A, Smit CA, Niezen A, et al. "The effect of surface electric stimulation of the gluteal muscles on the interface pressure in seated people with spinal cord injury." *Arch Phys Med Rehabil* 89.9 (2008): 1724-1732.
80. Mok JM, Jackson KL, Fang R, Freedman BA. "Effect of vacuum spine board immobilization on incidence of pressure ulcers during evacuation of military casualties from theater." *Spine J* 13.12 (2003): 1801-1808.
81. Yang YS, Chou YC, Hsu JJ, Chang JJ. "Effects of audio feedback on sitting behaviors of community-dwelling manual wheelchair users with spinal cord injuries." *Assist Technol* 22.2 (2010): 79-86.
82. Tzen YT, Brienza DM, Karg P, Loughlin P. "Effects of local cooling on sacral skin perfusion response to pressure: implications for pressure ulcer prevention." *J Tissue Viability* 19.3 (2010): 86-97.
83. Maharaj, Jagdish C. "Epidemiology of spinal cord paralysis in Fiji: 1985-1994." *Spinal cord* 34.9 (1996): 549.
84. Cardenas DD, Hoffman JM, Kirshblum S, McKinley W. "Etiology and incidence of rehospitalization after traumatic spinal cord injury: a multicenter analysis." *Arch Phys Med Rehabil* 85.11 (2004): 1757-1763.
85. Stinson M, Ferguson R, Porter-Armstrong A. "Exploring repositioning movements in sitting with 'at risk' groups using accelerometry and interface pressure mapping technologies." *J Tissue Viability* 27.1 (2018): 10-15.
86. Dalyan M, Sherman A, Cardenas DD. "Factors associated with contractures in acute spinal cord injury." *Spinal Cord* 36.6 (1998): 405.
87. Kim S, Ward E, Dicianno BE, Clayton GH, Sawin KJ, Beierwaltes P, et al. "Factors associated with pressure ulcers in individuals with spina bifida." *Arch Phys Med Rehabil* 96.8 (2015): 1435-1441.
88. Taule T, Bergfjord K, Holsvik EE, Lunde T, Stokke BH, Storlid H., et al. "Factors influencing optimal seating pressure after spinal cord injury." *Spinal Cord* 51.4 (2013): 273.
89. Valayer-Chaleat E, Calmels P, Giroux P, Fayolle-Minon I. "Femoral fracture and iatrogenic hyperthyroidism in spinal cord injury." *Spinal cord* 36.8 (1998): 593.
90. Smit CA, Zwinkels M, van Dijk T, de Groot S, Stolwijk-Swuste JM, Janssen TW. "Gluteal blood flow and oxygenation during electrical stimulation-induced muscle activation versus pressure relief movements in wheelchair users with a spinal cord injury." *Spinal cord* 51.9 (2013): 694.
91. Stotts, KM. "Health maintenance: paraplegic athletes and nonathletes." *Arch Phys Med Rehabil* 67.2 (1986): 109-114.

92. Krause JS, Saunders LL. "Health, secondary conditions, and life expectancy after spinal cord injury." *Arch Phys Med Rehabil* 92.11 (2011): 1770-1775.
93. Taly AB, Nair KP, Kumar MV, Jayakumar PN, Vasudev MK, et al. "Heterotopic ossification in non-traumatic myelopathies." *Spinal cord* 37.1 (1999): 47.
94. Dai, L. "Heterotopic ossification of the hip after spinal cord injury." *Chin Med J (Engl)* 111.12 (1998): 1099-1101.
95. Lindquist LA, Feinglass J, Martin GJ. "How sedative medication in older people affects patient risk factors for developing pressure ulcers." *J Wound Care* 12.7 (2003): 272-275.
96. Chen AT, Cohen DB, Skolasky RL. "Impact of nonoperative treatment, vertebroplasty, and kyphoplasty on survival and morbidity after vertebral compression fracture in the medicare population." *J BJS* 95.19 (2013): 1729-1736.
97. Lala D, Dumont FS, Leblond J, Houghton PE, Noreau L. "Impact of pressure ulcers on individuals living with a spinal cord injury." *Arch Phys Med Rehabil* 95.12 (2014): 2312-2319.
98. Bravo-Payno P, Esclarin A, Arzoz T, Arroyo O, Labarta C. "Incidence and risk factors in the appearance of heterotopic ossification in spinal cord injury." *Spinal Cord* 30.10 (1992): 740.
99. Rimler JC, Scholz T, Shbeeb A, Chua W, Wirth GA, Paydar KZ. "The incidence of venous thromboembolism in postoperative Plast Reconstr Surg patients with chronic spinal cord injury." *Plast Reconstr Surg* 128.6 (2011): 1230-1235.
100. Zembower NR, Zhu A, Malczynski M, Qi C. "Klebsiella pneumoniae carbapenemase-producing K. pneumoniae (KPC-KP) in brain and spinal cord injury patients: potential for prolonged colonization." *Spinal cord* 55.4 (2017): 390.
101. Montgomerie JZ, Chan E, Gilmore DS, Canawati HN, Sapico FL. "Low mortality among patients with spinal cord injury and bacteremia." *Rev Infect Dis* 13.5 (1991): 867-871.
102. Phillips C, Procter N. "Management of a complex wound in a person with spinal cord injury and mental illness." *J Wound Care* 19.9 (2010): 408-412.
103. Margolis DJ, Knauss J, Bilker W, Baumgarten M. "Medical conditions as risk factors for pressure ulcers in an outpatient setting." *Age and ageing* 32.3 (2003): 259-264.
104. Obalum DC, Enweluzo O, Giwa SO. "Morbidity and mortality associated with polytrauma at a Nigerian tertiary hospital." *West Afr J Med* 27.2 (2008): 97-100.
105. Brienza D, Valley J, Karg P, Akins J, Gefen A. "An MRI investigation of the effects of user anatomy and wheelchair cushion type on tissue deformation." *J Tissue Viability* 27.1 (2018): 42-53.
106. Ramanathan S, Suda KJ, Fitzpatrick MA, Poggensee L, LaVela SL, Burns SP, et al. "Multidrug-resistant Acinetobacter: risk factors and outcomes in veterans with spinal cord injuries and disorders." *Am J Infect Control* 45.11 (2017): 1183-1189.
107. Keys KA, Daniali LN, Warner KJ, Mathes DW. "Multivariate predictors of failure after flap coverage of pressure ulcers." *Plast Reconstr Surg* 125.6 (2010): 1725-1734.
108. Citak M, Backhaus M, Tilkorn DJ, O'loughlin PF, Meindl R, Muhr G, et al. "Necrotizing fasciitis in patients with spinal cord injury: an analysis of 25 patients." *Spine* 36.18 (2011): E1225-E1229.
109. Cunningham SC, Napolitano LM. "Necrotizing soft tissue infection from decubitus ulcer after spinal cord injury." *Spine* 29.8 (2004): E172-E174.
110. Rischbieth H1, Jelbart M, Marshall R. "Neuromuscular electrical stimulation keeps a tetraplegic subject in his chair: a case study." *Spinal Cord* 36.6 (1998): 443.
111. Beaudreuil, J. "Nonpharmacological treatments for osteoporosis." *Ann Readapt Med Phys*. Vol. 49. No. 8. 2006.

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

112. Nair KP, Taly AB, Maheshwarappa BM, Kumar J, Murali T, Rao S. "Nontraumatic spinal cord lesions: a prospective study of medical complications during in-patient rehabilitation." *Spinal Cord* 43.9 (2005): 558.
113. Nicolle LE, Buffet L, Alfieri N, Tate R. "Nosocomial infections on a rehabilitation unit in an acute care hospital." *Infect Control Hosp Epidemiol* 9.12 (1988): 553-558.
114. Lussi C, Frotzler A, Jenny A, Schaefer DJ, Kressig RW, Scheel-Sailer A. "Nutritional blood parameters and nutritional risk screening in patients with spinal cord injury and deep pressure ulcer—a retrospective chart analysis." *Spinal cord* 56.2 (2018): 168.
115. Sheerin F, de Frein R. "The occipital and sacral pressures experienced by healthy volunteers under spinal immobilization: a trial of three surfaces." *J Emerg Nurs* 33.5 (2007): 447-450.
116. Crane B, Wininger M, Call E. "Orthotic-style off-loading wheelchair seat cushion reduces interface pressure under ischial tuberosities and sacrococcygeal regions." *Arch Phys Med Rehabil* 97.11 (2016): 1872-1879.
117. Crane B, Wininger M, Call E. "Pain Intensity, Interference, and Medication Use After Spinal Cord Injury: Association With Risk of Mortality After Controlling for Socioeconomic and Other Health Factors." *Arch Phys Med Rehabil* 98.12 (2017): 2464-2470.
118. Ter Woerds W, De Groot PC, van Kuppevelt DH, Hopman MT. "Passive leg movements and passive cycling do not alter arterial leg blood flow in subjects with spinal cord injury." *Phys Ther* 86.5 (2006): 636-645.
119. Middleton JW, Lim K, Taylor L, Soden R, Rutkowski S. "Patterns of morbidity and rehospitalisation following spinal cord injury." *Spinal cord* 42.6 (2004): 359.
120. Yokoo KM, Kronon M, Lewis VL Jr, McCarthy WJ, McMillan WD, Meyer PR Jr. "Peripheral vascular disease in spinal cord injury patients: a difficult diagnosis." *Ann Plast Surg* 37.5 (1996): 495-499.
121. Hossain MS, Harvey LA, Rahman MA, Bowden JL, Islam MS, Taylor V, Muldoon S, Herbert RD. "A pilot randomised trial of community-based care following discharge from hospital with a recent spinal cord injury in Bangladesh." *Clin Rehabil* 31.6 (2017): 781-789.
122. January, A. M., Zebracki, K., Czworaniak, A., Chlan, K. M., Vogel, L. C. "Predictive factors of hospitalization in adults with pediatric-onset SCI: a longitudinal analysis." *Spinal cord* 53.4 (2015): 314.
123. Evans, C. T., Burns, S. P., Chin, A., Weaver, F. M., Hershov, R. C. "Predictors and outcomes of antibiotic adequacy for bloodstream infections in veterans with spinal cord injury." *Arch Phys Med Rehabil* 90.8 (2009): 1364-1370.
124. Rabadi, M. H., Mayanna, S. K., Vincent, A. S. "Predictors of mortality in veterans with traumatic spinal cord injury." *Spinal cord* 51.10 (2013): 784.
125. Guihan, M., Garber, S., Bombardier, C., Goldstein, B., Holmes, L., Cao, S. "Predictors of pressure ulcer recurrence in veterans with spinal cord injury." *J Spinal Cord Med* 31.5 (2008): 551-559.
126. Berthold, J., Dicianno, B. E., Cooper, R. A. "Pressure mapping to assess seated pressure distributions and the potential risk for skin ulceration in a population of sledge hockey players and control subjects." *Disabil Rehabil Assist Technol* 8.5 (2013): 387-391.
127. Backhaus, M., Citak, M., Tilkorn, D. J., Meindl, R., Schildhauer, T. A., Fehmer, T. "Pressure sores significantly increase the risk of developing a Fournier's gangrene in patients with spinal cord injury." *Spinal Cord* 49.11 (2011): 1143.
128. Atiyeh, B. S., Hayek, S. N. "Pressure sores with associated spasticity: a clinical challenge." *Int Wound J* 2.1 (2005): 77-80.
129. Schubart, J. R., Hilgart, M., & Lyder, C. "Pressure ulcer prevention and management in spinal cord-

- injured adults: analysis of educational needs." *Adv Skin Wound Care* 21.7 (2008): 322-329.
130. Peterson, M. J., Kahn, J. A., Kerrigan, M. V., Gutmann, J. M., & Harrow, J. J. "Pressure ulcer risk of patient handling sling use." *J Rehabil R D* 52.3 (2015): 291-301.
131. Reddy, M., Gill, S. S., Rochon, P. A. "Preventing pressure ulcers: a systematic review." *Jama* 296.8 (2006): 974-984.
132. Ham, W. H., Schoonhoven, L., Schuurmans, M. J., Leenen, L. P. "Pressure ulcers, indentation marks and pain from cervical spine immobilization with extrication collars and headblocks: An observational study." *Injury* 47.9 (2016): 1924-1931.
133. Redelings, M. D., Lee, N. E., Sorvillo, F. "Pressure ulcers: more lethal than we thought?" *Adv Skin Wound Care* 18.7 (2005): 367-372.
134. Harrow, J. J., Rashka, S. L., Fitzgerald, S. G., Nelson, A. L. "Pressure ulcers and occipital alopecia in Operation Iraqi Freedom polytrauma casualties." *Mil Med* 173.11 (2008): 1068-1072.
135. Ham, W. H., Schoonhoven, L., Schuurmans, M. J., Leenen, L. P. "Pressure ulcers, indentation marks and pain from cervical spine immobilization with extrication collars and headblocks: An observational study." *Injury* 47.9 (2016): 1924-1931.
136. Redelings, M. D., Lee, N. E., & Sorvillo, F. "Pressure ulcers: more lethal than we thought?" *Adv Skin Wound Care* 18.7 (2005): 367-372.
137. Harding-Okimoto, M. B. "Pressure ulcers, self-concept and body image in spinal cord injury patients." *SCI Nurs* 14.4 (1997): 111-117.
138. Rintala, D. H., Garber, S. L., Friedman, J. D., & Holmes, S. A. "Preventing recurrent pressure ulcers in veterans with spinal cord injury: impact of a structured education and follow-up intervention." *Arch Phys Med Rehabil* 89.8 (2008): 1429-1441.
139. Smit, C. A., Legemate, K. J., de Koning, A., de Groot, S., Stolwijk-Swuste, J. M., Janssen, T. W. "Prolonged electrical stimulation-induced gluteal and hamstring muscle activation and sitting pressure in spinal cord injury: Effect of duty cycle." *J Rehabil R D* 50.7 (2013): 1035-1046.
140. Krause, J. S., Carter, R. E., Pickelsimer, E. E., Wilson, D. "A prospective study of health and risk of mortality after spinal cord injury." *Arch Phys Med Rehabil* 89.8 (2008): 1482-1491.
141. Hung, E. W., Darouiche, R. O., Trautner, B. W. "Proteus bacteriuria is associated with significant morbidity in spinal cord injury." *Spinal Cord* 45.9 (2007): 616.
142. Delparte, J. J., Scovil, C. Y., Flett, H. M., Higgins, J., Laramée, M. T., Burns, A. S. "Psychometric properties of the spinal cord injury pressure ulcer scale (SCIPUS) for pressure ulcer risk assessment during inpatient rehabilitation." *Arch Phys Med Rehabil* 96.11 (2015): 1980-1985.
143. Salgado, Y. B., & JN, B. M. "Quality of life of patients with paraplegia secondary to traumatic spine injury." *Acta Ortop Mex* 21.1 (2007): 3-7.
144. Deitrick, G., Charalel, J., Bauman, W., Tuckman, J. "Reduced arterial circulation to the legs in spinal cord injury as a cause of skin breakdown lesions." *Angiology* 58.2 (2007): 175-184.
145. New, P. W., & Astrakhantseva, I. "Rehabilitation outcomes following infections causing spinal cord myelopathy." *Spinal cord* 52.6 (2014): 444.
146. Dunn, C. A., Carlson, M., Jackson, J. M., Clark, F. A. "Rehospitalization in the first year of traumatic spinal cord injury after discharge from medical rehabilitation." *Arch Phys Med Rehabil* 94.4 (2013): S87-S97.
147. Dunn, Claudia A., et al. "Response factors surrounding progression of pressure ulcers in community-residing adults with spinal cord injury." *Am J Occup Ther* 63.3 (2009).
148. Cruse, J. M., Lewis, R. E., Dilioglou, S., Roe, D. L., Wallace, W. F., Chen, R. S. "Review of immune function, healing of pressure ulcers, and nutritional status in patients with spinal cord injury." *J Spinal Cord Med* 23.2 (2000): 129-135.

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

149. Wall, B. M., Huch, K. M., Mangold, T. A., Steere, E. L., & Cooke, C. R. "Risk factors for development of proteinuria in chronic spinal cord injury." *Am J Kidney Dis* 33.5 (1999): 899-903.
150. Citak, M., Suero, E. M., Backhaus, M., Aach, M., Godry, H., Meindl, R., Schildhauer, T. A. "Risk factors for heterotopic ossification in patients with spinal cord injury: a case-control study of 264 patients." *Spine* 37.23 (2012): 1953-1957.
151. Lal, S., Hamilton, B. B., Heinemann, A., & Betts, H. B. "Risk factors for heterotopic ossification in spinal cord injury." *Arch Phys Med Rehabil* 70.5 (1989): 387-390.
152. Cao, Y., Krause, J. S., & DiPiro, N. "Risk factors for mortality after spinal cord injury in the USA." *Spinal Cord* 51.5 (2013): 413.
153. Frankel, H., Sperry, J., & Kaplan, L. "Risk factors for pressure ulcer development in a best practice surgical intensive care unit." *Am Surg* 73.12 (2007): 1215-1217.
154. Coelho, C. V. C., & Beraldo, P. S. S. "Risk factors of heterotopic ossification in traumatic spinal cord injury." *Arq Neuropsiquiatr* 67.2B (2009): 382-387.
155. Krause, J. S., Zhai, Y., Saunders, L. L., Carter, R. E. "Risk of mortality after spinal cord injury: an 8-year prospective study." *Arch Phys Med Rehabil* 90.10 (2009): 1708-1715.
156. Becker, S. W. J., Weidt, F., & Röhl, K. "The role of plasma transglutaminase (F XIII) in wound healing of complicated pressure sores after spinal cord injury." *Spinal Cord* 39.2 (2001): 114.
157. Hamon-Mekki, F. "Sacral decubitus in young tetraplegic patients." *Soins* 672 Suppl (2003): 21.
158. Mawson, A. R., Siddiqui, F. H., Connolly, B. J., Sharp, C. J., Summer, W. R., Biundo Jr, J. J. "Sacral transcutaneous oxygen tension levels in the spinal cord injured: risk factors for pressure ulcers?" *Arch Phys Med Rehabil* 74.7 (1993): 745-751.
159. Edlich, R., Winters, K. L., & Long III, W. B. "Scientific basis for the selection of absorbent underpads that remain securely attached to underlying bed or chair." *J Long Term Eff Med Implants* 16.1 (2006).
160. Adriaansen, J. J., van Asbeck, F. W., Lindeman, E., van der Woude, L. H., de Groot, S., Post, M. W. "Secondary health conditions in persons with a spinal cord injury for at least 10 years: design of a comprehensive long-term cross-sectional study." *Disabil Rehabil* 35.13 (2013): 1104-1110.
161. Rieger, U., Scheufler, O., Schmid, D., Zweifel-Schlatter, M., Kalbermatten, D., Pierer, G. "Six treatment principles of the basle pressure sore concept." *Handchir Mikrochir Plast Chir V* 39.3 (2007): 206-214.
162. Krause, J. S. "Skin sores after spinal cord injury: relationship to life adjustment." *Spinal cord* 36.1 (1998): 51.
163. Yalcin, E., Akyuz, M., Onder, B., Unalan, H., & Degirmenci, I. "Skin thickness on bony prominences measured by ultrasonography in patients with spinal cord injury." *J Spinal Cord Med* 36.3 (2013): 225-230.
164. Shanmugham, K., Elliott, T. R., & Palmatier, A. "Social problem solving abilities and psychosocial impairment among individuals recuperating from surgical repair for severe pressure sores." *NeuroRehabilitation* 19.3 (2004): 259-269.
165. Coggrave, M. J., & Rose, L. S. "A specialist seating assessment clinic: changing pressure relief practice." *Spinal Cord* 41.12 (2003): 692.
166. Zafonte, R. D., Ricker, J. H., Hanks, R. A., Wood, D. L., Amin, A., Lombard, L. A. "Spinal epidural abscess: study of early outcome." *J Spinal Cord Med* 26.4 (2003): 345-351.
167. Chou, C. Y., Huang, Z. Y., Chiao, H. Y., Wang, C. Y., Sun, Y. S., Chen, S. G., et al. "Squamous cell carcinoma arising from a recurrent ischial pressure ulcer: a case report." *Ostomy Wound Manage* 61.2 (2015): 48-50.

168. Kehn, M., & Kroll, T. "Staying physically active after spinal cord injury: a qualitative exploration of barriers and facilitators to exercise participation." *BMC Public Health* 9.1 (2009): 168.
169. Krause, J. S., Reed, K. S., & McArdle, J. J. "A structural analysis of health outcomes after spinal cord injury." *J Spinal Cord Med* 33.1 (2010): 22-32.
170. Bilkay, U., Helvacı, E., Tokat, C., Ozek, C., Akin, Y. "Surgical coverage technics of pressure sores and their outcomes." *Ulus Travma Acil Cerrahi Derg* 12.2 (2006): 143-149.
171. Curtis, K. A., Dillon, D. A. "Survey of wheelchair athletic injuries: common patterns and prevention." *Spinal Cord* 23.3 (1985): 170.
172. Tchvaloon, E., Front, L., Gelernter, I., Ronen, J., Bluvshstein, V., Catz, A. "Survival, neurological recovery and morbidity after spinal cord injuries following road accidents in Israel." *Spinal cord* 46.2 (2008): 145.
173. de Leon, M. P. "Teamwork approach to prevention and treatment of skin breakdown in spinal cord patients." *Continuum: Lifelong Learning in Neurology* 21.1, Spinal Cord Disorders (2015): 206-210.
174. Coggrave, M., West, H., & Leonard, B. "Topical negative pressure for pressure ulcer management." *Br J Nurs* 11. Sup1 (2002): S29-S36.
175. Desport, J. C., Preux, P. M., Guinvarc'h, S., Rousset, P., Salle, J. Y., Daviet, J. C., et al. "Total body water and percentage fat mass measurements using bioelectrical impedance analysis and anthropometry in spinal cord-injured patients." *Clin Nutr* 19.3 (2000): 185-190.
176. Keast, David H., and Chris Fraser. "Treatment of chronic skin ulcers in individuals with anemia of chronic disease using recombinant human erythropoietin (EPO): a review of four cases." *Ostomy Wound Manage* 50.10 (2004): 64-70.
177. Horch, R. E. "Treatment of decubitus ulcers in the geriatric patient." *MMW Fortschr Med* 145.13 (2003): 42-4.
178. Hossain, M. S., Rahman, M. A., Herbert, R. D., Quadir, M. M., Bowden, J. L., & Harvey, L. A. "Two-year survival following discharge from hospital after spinal cord injury in Bangladesh." *Spinal Cord* 54.2 (2016): 132.
179. Wong, S., Santullo, P., O'Driscoll, J., Jamous, A., Hirani, S. P., Saif, M. "Use of antibiotic and prevalence of antibiotic-associated diarrhoea in patients with spinal cord injuries: a UK national spinal injury centre experience." *Spinal cord* 55.6 (2017): 583.
180. Kim, J., Ho, C. H., Wang, X., & Bogie, K. "Use of antibiotics and the prevalence of antibiotic-associated diarrhoea in patients with spinal cord injuries: an international, multi-centre study." *J Hosp Infect* 97.2 (2017): 146-152.
181. Kim, J., Ho, C. H., Wang, X., & Bogie, K. "The use of sensory electrical stimulation for pressure ulcer prevention." *Physiother Theory Pract* 26.8 (2010): 528-536.
182. Street, J. T., Thorogood, N. P., Cheung, A., Noonan, V. K., Chen, J., Fisher, C. G., et al. "Use of the Spine Adverse Events Severity System (SAVES) in patients with traumatic spinal cord injury. A comparison with institutional ICD-10 coding for the identification of acute care adverse events." *Spinal Cord* 51.6 (2013): 472.
183. Kapoor, A., Kader, B., Cabral, H., Ash, A. S., & Berlowitz, D. "Using the case mix of pressure ulcer healing to evaluate nursing home performance." *Am J Med Qual* 23.5 (2008): 342-349.
184. Larson, D. L., Machol IV, J. A., & King, D. M. "Vastus lateralis flap reconstruction after girdlestone arthroplasty: thirteen consecutive cases and outcomes." *Ann Plast Surg* 71.4 (2013): 398-401.
185. Huijssen-Huisman, E. J., & Sluis, T. A. "Decubitus ulcers in spinal cord lesion: proactive inspection." *Ned Tijdschr Geneesk* 153 (2009): B318-B318.
186. Lüscher, N. J. "Decubitus ulcers of the pelvic area. Diagnosis and surgical therapy." *Aktuelle Probleme in Chirurgie und Orthopadie* 33 (1989): 3.

FACTORES DE RIESGO PARA LA APARICIÓN Y/O RECURRENCIA DE ÚLCERAS POR PRESIÓN EN SUJETOS CON LESIÓN MEDULAR: REVISIÓN SISTEMÁTICA

187. Beaudreuil, J. "Nonpharmacological treatments for osteoporosis." *Ann Readapt Med Phys*. Vol. 49. No. 8. 2006.
188. Salgado, Y. B., & JN, B. M. "Quality of life of patients with paraplegia secondary to traumatic spine injury." *Acta Ortop Mex* 21.1 (2007): 3-7.
189. Hamon-Mekki, F. "Sacral decubitus in young tetraplegic patients." *Soins* 672 Suppl (2003): 21.
190. Rieger, U., Scheufler, O., Schmid, D., Zweifel-Schlatter, M., Kalbermatten, D., Pierer, G. "Six treatment principles of the basle pressure sore concept." *Handchir Mikrochir Plast Chir* 39.3 (2007): 206-214.
191. Bilkay, U., Helvacı, E., Tokat, C., Ozek, C., & Akin, Y. "Surgical coverage technics of pressure sores and their outcomes." *Ulus Travma Acil Cerrahi Derg* 12.2 (2006): 143-149.
192. Horch, R. E. "Treatment of decubitus ulcers in the geriatric patient." *MMW Fortschr Med* 145.13 (2003): 42-4.
193. Norman, G., Dumville, J. C., Moore, Z. E., Tanner, J., Christie, J., & Goto, S. "Antibiotics and antiseptics for pressure ulcers." *Cochrane Database Syst Rev* 4 (2016).
194. Westby, M. J., Dumville, J. C., Soares, M. O., Stubbs, N., & Norman, G. "Dressings and topical agents for treating pressure ulcers." *Cochrane Database Syst Rev* 6 (2017).
195. Groah, S. L., Schladen, M., Pineda, C. G., & Hsieh, C. H. J. "Prevention of pressure ulcers among people with spinal cord injury: a systematic review." *PM&R* 7.6 (2015): 613-636.
196. Garcia-Arguello, L. Y., O'Horo, J. C., Farrell, A., Blakney, R., Sohail, M. R., Evans, C. T., et al. "Infections in the spinal cord-injured population: a systematic review." *Spinal cord* 55.6 (2017): 526.
197. Marin, J., J. Nixon, and C. Gorecki. "A systematic review of risk factors for the development and recurrence of pressure ulcers in people with spinal cord injuries." *Spinal cord* 51.7 (2013): 522.
198. Health Quality Ontario. "Management of chronic pressure ulcers: an evidence-based analysis." *Ont Health Technol Assess Ser* 9.3 (2009): 1.